

Fairline Targa 45 Open

Price

Base Price

Specifications

Length Overall	46'6"
BEAM	14'2"
Dry Weight	13.77 Tons
Tested Weight	
Draft	3'10"
Draft Up	
Draft Down	
Air Draft	
Deadrise/Transom	
Max Headroom	
Bridge Clearance	
Weight Capacity	
Person Capacity	12
Fuel Capacity	

Water Capacity	
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	

Builders Commentary

Reimagined by Alberto Mancini, we’ve designed the new Targa 45 OPEN to be equally powerful, versatile and luxurious. With a touch of Riviera glamour, elegant lines and a low-profile that provides a sportier appeal, the Targa 45 OPEN is perfect for dropping anchor along any coastline, any time of day.

Layout

Image not found or type unknown





Image not found or type unknown



Interior

Image not found or type unknown




Image not found or type unknown



Image not found or type unknown




Image not found or type unknown




Image not found or type unknown




Image not found or type unknown




Image not found or type unknown




Image not found or type unknown



Image not found or type unknown





Image not found or type unknown



Standard Features

Deck

- Anchor chain locker
- Anchor winch controls
- Anchor winch (electric)
- Calibrated anchor chain
- Chain stopper (10mm)
- Dinghy garage (to fit Williams 280 MiniJet)
- Ensign staff Fender set
- Full set of IMCO navigation lights
- High capacity emergency manual bilge pump system with changeover valves
- Hot & cold water transom shower
- Molded non-slip deck surface
- Recessed self-draining area on foredeck for coachroof sun cushions
- Riding light Rubbing strake

- Self-stowing Delta® anchor (20kg)
- Stainless steel bow fairleads
- Stainless steel bow, spring & stern cleats
- Stainless steel handrails
- Stainless steel pulpit
- Stainless steel stemhead roller
- Stainless steel transom wing cleats
- Teak-laid bathing platform
- Toughened glass curved windscreen
- Transom gate from cockpit to integral bathing platform
- Twin horns
- Water filler
- Windscreen washers
- Windscreen wipers

Helm

- Position
- USB socket
- Bilge pump switches with integral operating warning lights & audible alarms
- Twin helm seats
- Controls for engine bay fire extinguisher system
- Drinks holders
- Electronic single-lever throttle & gear controls for port & starboard engines
- Folding foot plinth Fuel gauges
- Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, audible alarms & engine hour meters
- Garmin GMI 20 digital multi-function instrument system with colour display
- Garmin VHF marine radio Volvo 7" diagnostic display
- Helm position indicator
- High-speed magnetic compass
- IPS joystick (with IPS engine variants)
- Opening window (manual operation)
- Remote anchor winch controls
- Searchlight with remote control at helm
- Waterproof switches for navigation & riding lights, windscreen wipers & engine bay extractor fan

Electrical Systems

- All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
- Electrical sockets
- Heavy-duty circuit breakers Isolating switches to all batteries
- 12 Volt Batteries – 2 x heavy duty batteries for domestic services 1 x heavy duty battery for exclusive port engine starting 1 x heavy duty battery for exclusive starboard engine starting
- Emergency battery coupling system permits starboard engine to start port engine if domestic batteries accidentally discharged
- 240 Volt Polarity check & earth leakage protection system
- Regulated battery charger
- Shore power supp

Cockpit

- Bar unit with sink
- Bathing platform lights
- Boat hook
- Central dining area with foldaway
- GRP table Companion seating to helm
- Drinks holders
- Engine bay access hatch
- Fender stowage
- Fenders x 6
- Fusion audio unit with Bluetooth connectivity
- Life raft stowage
- Manual bilge pumps
- Mooring warps
- Molded non-slip deck surface
- Stainless steel handrails
- Step for side deck access
- Stowage lockers
- USB socket
- Warp lockers
- Wrap around seating with sunbed conversion
- Waterproof speakers x 2