

# Fairline Targa 48 Open

## Price

Base Price

## Specifications

Length Overall	49'2"
BEAM	14'2"
Dry Weight	
Tested Weight	
Draft	3'10"
Draft Up	
Draft Down	
Air Draft	
Deadrise/Transom	
Max Headroom	
Bridge Clearance	
Weight Capacity	
Person Capacity	16
Fuel Capacity	288 Gallons

Water Capacity	106 Gallons
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

# Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	

# Builders Commentary

Indulge in the freedom of open-air cruising, and experience what it means to be truly on the water. Languish by day, stargaze by night, and connect to the open sea, whether you are entertaining or unwinding in style. The opulence, all out thrill and undeniable attraction of the Targa 48 OPEN means it delivers on all fronts. Spacious by design and beautifully appointed.

Drop anchor, close your eyes and relax. Time spent on the Targa 48 OPEN creates moments you'll want to play over and over again. Spending sun-drenched days on deck. Lounging in comfort within secluded, sandy bays. Diving off the bathing platform into the welcoming crystal-clear waters. And then enjoy the comfort of lavish accommodation with plenty of natural light.

Spirited and daring, with exceptional maneuverability, the Targa 48 OPEN effortlessly combines high performance with impressive control. Take the helm, command the waves and harness the responsive power of the twin IPS drives. With a sweeping hull, clean lines and elegant Mancini-sculpted hull windows, she encapsulates the effortless beauty of Fairline.

# Layout

Image not found or type unknown




Image not found or type unknown





Image not found or type unknown



# Interior

Image not found or type unknown




Image not found or type unknown




Image not found or type unknown






Image not found or type unknown




Image not found or type unknown




Image not found or type unknown




Image not found or type unknown






Image not found or type unknown

Image not found or type unknown




Image not found or type unknown







Image not found or type unknown



# Standard Features

## Deck

- Anchor chain locker
- Anchor winch controls
- Anchor winch (electric)
- Calibrated anchor chain
- Dinghy garage Ensign & staff
- Fender set Full set of IMCO navigation lights
- Hot & cold water transom shower
- Moulded non-slip deck surface
- Recessed self-draining area on foredeck for coachroof sun cushions
- Riding light
- Rubbing strake
- Self-stowing Delta® anchor
- Stainless steel bow fairleads
- Stainless steel bow, spring & stern cleats
- Stainless steel handrails
- Stainless steel pulpit
- Stainless steel stemhead roller
- Stainless steel transom wing cleats
- Swim ladder to bathing platform
- Teak-laid bathing platform (with option of submersible platform)
- Toughened glass curved windscreen
- Transom gate from cockpit to integral bathing platform
- Twin horns
- Water filler
- Windscreen washers
- Windscreen wipers

## Helm Position

- 12V socket
- Bilge pump switches with integral operating warning lights & audible alarms
- Twin helm seat Controls for engine bay fire extinguisher system
- Drinks holders
- Electronic single-lever throttle & gear controls for port & starboard engines
- Folding foot plinth
- Fuel gauges
- Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, audible alarms & engine hour meters
- Garmin GMI 20 digital multi-function instrument system with colour display
- Garmin VHF marine radio
- Helm position indicator
- High-speed magnetic compass
- IPS joystick
- Remote anchor winch controls
- Searchlight with remote control at helm
- Waterproof switches for navigation & riding lights, windscreen wipers & engine bay extractor fan

## Electrical Systems

- All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
- Electrical sockets
- Heavy duty circuit breakers
- Isolating switches to all batteries
- 12 Volt Batteries – 2 x heavy duty batteries for domestic services 1 x heavy duty battery for exclusive port engine starting 1 x heavy duty battery for exclusive starboard engine starting
- Emergency battery coupling system permits starboard engine to start port engine if domestic batteries accidentally discharged
- 240 Volt Polarity check & earth leakage protection system
- Power points throughout the boat fed from shore power or generator
- Regulated battery charger
- Shore power supply

# Cockpit

- 12V heavy duty weatherproof socket
- Bathing platform lights
- Boat hook
- Central dining area with table
- Companion seating to helm
- Drinks holders
- Engine bay access hatch
- Fender stowage
- Glove locker Life raft stowage
- Manual bilge pumps
- Mooring warps
- Moulded non-slip deck surface
- Stainless steel handrails
- Step for side deck access
- Stowage lockers under companion seat
- Warp lockers Waterproof speaker's x 2

