

# Fleming Yachts 75 (2010-)

## Price

### Base Price

Prices, features, designs, and equipment are subject to change. Please see your local dealer or visit the builder's website for the latest information available on this boat model.

## Key Features

- Solid laminate commensurate for hull size. Made in female mold
- Vinylester resin used for outer laminations below waterline
- Full-length stringers and athwartships frames laminated over foam
- Simulated planking grooves
- Gelcoated finish above waterline
- Epoxy barrier coat below waterline
- Integrally molded guard with s/s rub strip
- Keel extends below running gear
- Keel space filled and sealed across top
- Solid S/S "Axe-blade" rudders with Aqualoy 22 Hi-strength stocks
- CE-approved S/S portlights

## Specifications

<b>Length Overall</b>	75' 0" / 22.86 m
<b>BEAM</b>	21' 5"   6.53 m
<b>Dry Weight</b>	165,000 lbs.   74,842 kg
<b>Tested Weight</b>	
<b>Draft</b>	5' 3"   1.60 m
<b>Draft Up</b>	

<b>Draft Down</b>	
<b>Air Draft</b>	
<b>Deadrise/Transom</b>	N/A
<b>Max Headroom</b>	N/A
<b>Bridge Clearance</b>	N/A
<b>Weight Capacity</b>	
<b>Person Capacity</b>	
<b>Fuel Capacity</b>	3,000 gal.   11,356 L
<b>Water Capacity</b>	500 gal.   1,892 L
<b>Length on Trailer</b>	
<b>Height on Trailer</b>	
<b>Trailer Weight</b>	
<b>Total Weight</b>	
<b>Aft Deck</b>	
<b>Salon Inside Width</b>	
<b>Salon Fore &amp; Aft</b>	
<b>Salon Height</b>	

<b>Salon Volume</b>	
<b>Galley Volume</b>	
<b>Master SR Width</b>	
<b>Master SR fore &amp; Aft</b>	
<b>Master SR Overhead</b>	
<b>Master SR Volume</b>	
<b>Eng. Room Volume</b>	

## Acceleration Times & Conditions

<b>Time to Plane</b>	
<b>0 to 20</b>	
<b>Ratio</b>	
<b>Props</b>	
<b>Load</b>	
<b>Climate</b>	