

# Tiara 39 Open (2020-)

## Price

Base Price

## Specifications

Length Overall	41' 11"  12.77 m
BEAM	15' 0"   4.57 m
Dry Weight	24,500 lbs.   11,113 kg
Tested Weight	
Draft	3' 6"  1.06 m
Draft Up	
Draft Down	
Air Draft	
Deadrise/Transom	18-degrees
Max Headroom	
Bridge Clearance	
Weight Capacity	
Person Capacity	
Fuel Capacity	535 gal.   2,025.20 L

Water Capacity	120 gal.   454.25 L
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

# Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	

# Builder Commentary

ESCAPE FOR THE DAY OR EVEN A WEEKEND AND EXPERIENCE THE SPACIOUS LUXURY THAT THE 39 TIARA OFFERS. AMPLE SEATING, DURABLE FABRICS AND AVAILABLE STATE-OF-THE-ART ELECTRONICS ARE JUST SOME OF THE FEATURES ONBOARD. OPTION YOURS FOR CRUISING OR FISHING, AND ENJOY ONE CAREFREE DAY ON THE WATER AFTER ANOTHER.

THE 39 TIARA IS A SERIOUS PERFORMER. SOPHISTICATED NEW DESIGNS DELIVERING THE STYLE THAT EVERY TIARA IS BUILT ON; AN UNMATCHED HERITAGE OF AMERICAN MADE QUALITY, STRENGTH AND SEAKEEPING DESIGNED TO BRING YOU SAFELY HOME AGAIN.

# Layout

layout not found or type unknown

Image not found or type unknown

# Interior Galley

aft deck  
Image not found or type unknown













Image not found or type unknown



All Rights Reserved © 2024 BoatTEST.com, LLC



Image not found or type unknown



All Rights Reserved © 2024 BoatTEST.com, LLC





# Boat Details

## HULL, DECK AND UPPER COCKPIT

- Tiara Yachts' transferable limited warranty: five years on hull and deck; two years on accessories
- Fresh white gelcoat hull and deck
- Axalta® Carbon bootline
- Hull constructed with a gelcoat outer layer, balsa Cored Hullsides, and Hand-Laid Premium Resin Fiberglass
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Two coats of anti-fouling bottom paint
- Gelcoated bilge
- Bronze seacocks on all underwater thruhull fittings
- Molded-in hullside ventilation with filters
- Lenco® electric 12V hydraulic recessed trim tabs with zincs
- Two Lewmar® deck hatches with adjusters, built-in Ocean Air® screens and privacy covers
- One flush acrylic deck skylight
- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded, 316L S.S. 1" bow rail with pulpit, staff and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one 10" S.S. foredeck cleat, 40' chain rode, 200' rope rode and Delta® 35 lb. anchor

- White rubrail with 316L S.S. cap
- Six S.S. cleats for lines - three 10" cleats and four 12" cleats
- Hardtop with side enclosures and Lewmar® skylight with opening hatch.
- Tiara custom composite windshield frame with 1/4" tempered safety glass, handrails on side wings, and a windshield wiper system with two washer/wipers
- Tiara hinged helm console with full flush mount electronics capability, drink holder, and 18" S.S. destroyer tilt wheel
- Manually adjustable helm seat.
- Wet bar with storage aft of helm seat
- Prep center with storage locker aft of wet bar
- Centerline entry to salon with acrylic sliding companionway door, lock, screen door, and privacy cover
- Fiberglass companion door shroud with molded-in glove box and drink holders
- Port curved companion lounge
- Port aft-facing seat with storage
- Fusion® multi-zone stereo system with:
  - Cockpit remote,
  - JL Audio® digital amplifier,
  - Two JL Audio® 6.5" interior speakers
  - Two JL Audio® 6.5" exterior speakers
  - Two JL Audio® 7.7" exterior component speakers
  - One JL Audio® 8" subwoofer
- TV jack/outlet



- 120V GFI outlet
- 12V accessory outlet
- Drop-down engine room access hatch from the upper cockpit

## **LOWER COCKPIT**

- Molded-in steps to deck walkways, port and starboard
- Fiberglass covering boards
- Cockpit coaming bolsters
- Two chrome bronze corner hawse pipes
- Cockpit LED courtesy lighting with remote control
- Cockpit shower, hot and cold water
- Raw water washdown outlet with 25 ft. coiled yellow hose
- Self-draining cockpit with centerline scupper drain
- Two insulated flush floor storage boxes with gas assisted split hatch
- Aft lazarette hatch
- Molded-in transom door and gate

## **INTERIOR GROUP**

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak and Chilewich® interiors
- Solid teak floor
- 120V outlets throughout
- 12V LED lighting

## **SALON**

- Teak companionway entry steps with hinged storage compartment below
- L-shaped lounge/dinette seating with storage below, and high-gloss teak table; seats 5-6 with ottoman (Converts to double lower berth and single upper pullman berth)
- Three Accent pillows
- 28" LED TV with HDMI port
- Soundbar with wireless subwoofer
- BluRay player
- Upper hullside storage lockers
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat, controls in aft starboard bulkhead 39

#### **OPEN STANDARD EQUIPMENT GALLEY**

- Corian® countertop
- Stainless steel undermount sink with Corian® cover and hot/cold water faucet
- Under counter storage and aft galley pantry
- Upper dish lockers
- Two utensil drawers
- Two-burner electric cooktop with Corian® cover and safety shut-off switch
- Microwave oven
- Vitrifrigo® drawer style refrigerator and freezer (optional ice maker is available)
- Exhaust fan

#### **MASTER STATEROOM**

- Privacy curtain separating master stateroom from salon

- Manually actuated queen pedestal berth with innerspring mattress, mattress pad, luxury linen sheet set, coverlet, pillow shams, and accent pillows
- Storage compartment under berth
- Cedar-backed hanging locker
- Upper hullside storage cabinets
- Two LED reading lights

## **HEAD**

- Full frame door with entry from the salon
- Full fiberglass head with glass bi-fold shower door and stall shower with sump pump/drain
- Corian® vanity countertop with S.S. sink
- Mirrored vanity above sink
- Lower vanity storage
- Vacuflush® toilet
- Exhaust fan
- Air conditioning vent

## **INSTRUMENTATION, EQUIPMENT AND SAFETY**

- Tiara custom 12V DC and 120V AC electrical system with the master distribution panel located on the aft dinette bulkhead
- One 240V 50 amp 65' dockside power cord and adapter for 30 amp service
- Cable TV inlet/outlets with 65' dockside power cord
- TV and AM/FM antennas
- Onan® 9.0kW generator with sound shield

- One battery charger, 60 amp
- 12V Two bank battery system two engine batteries, and three house batteries
- Battery parallel system
- Electrical bonding system
- Reverse polarity indicator All engine options include the following:
- Single lever electronic controls
- Zincs - transom, trim tabs and shafts
- Hydraulic steering system with powered steering assist
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 2 1/4"
- Water cooled shaft logs with PSS® dripless shaft seal
- Two Nibral® propellers
- Garmin® 7" single display for monitoring engine systems
- Ritchie® SuperSport SS2000 compass
- High output alternators
- Electric engine hatch actuators
- Engine room accoustical insulation
- 12V LED engine room lights
- Racor® fuel filters/water separators for engines and generator
- Raw water intake strainers for engines and generator
- Vibration isolating mounts for engines and generator
- Plate mounted, thru-bolted engine system

- Three automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: One forward, one mid, and one aft
- Two aluminum fuel tanks, total capacity 535 gallons (forward tank 250 gallons and aft tank 283 gallons) with in-line fuel shut-off valves on top of tanks
- Dockside water inlet
- Fresh water tank, 120 gallons
- Fresh water pressure system with Shurflo® variable speed pump, five GPM
- One water heater with exchanger, 11 gallons
- Holding tank, 38 gallons
- Kahlenberg® chrome dual trumpet air horn
- HFC 227 agent automatic/ manual fire extinguisher system in engine room
- Three hand-held fire extinguishers
- Two carbon monoxide detectors
- Two smoke detectors
- Six 5/8" x 30' black dock lines
- Eight Tiara life vests (domestic boats only)
- USCG approved electronic flare
- USCG/international LED navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)